




① Top view (actual size)
Scale 1:1



② Isometric view
Scale 3:4




③ Long profile
Scale 1:1




④ Short profile
Scale 1:1


1. To get the specified scale, select 100% in print settings.
2. Drill location tolerance: ± 0.1 [± 5].
3. Board edge tolerance: ± 0.3 [± 10].

<https://www.pololu.com/product/4973>


Name: 3pi+ 32U4 OLED Control Board		Item number: 4973
Drawing date: 11 August 2021	Dev code: 3pi03b	 © 2021 Pololu Corporation
Units: mm [mil]	Material: mixed	




1 Top view (actual size)
(with optional buzzer and OLED)
Scale 1:1



2 Isometric view
(with optional buzzer and OLED)
Scale 3:4




3 Long profile
(with optional buzzer and OLED)
Scale 1:1




4 Short profile
(with optional buzzer and OLED)
Scale 1:1

1. To get the specified scale, select 100% in print settings.
2. Drill location tolerance: ± 0.1 [± 5].
3. Board edge tolerance: ± 0.3 [± 10].

<https://www.pololu.com/product/4973>

Name: 3pi+ 32U4 OLED Control Board		Item number: 4973
Drawing date: 11 August 2021	Dev code: 3pi03b	 © 2021 Pololu Corporation
Units: mm [mil]	Material: mixed	

Board dimensions (top view)




1. Intended for #2 screws.
2. To get the specified scale, select 100% in print settings.
3. Drill location tolerance: ± 0.1 [± 5].
4. Board edge tolerance: ± 0.3 [± 10].

Scale 3:2

<https://www.pololu.com/product/4973>

Name: 3pi+ 32U4 OLED Control Board		Item number: 4973	
Drawing date: 11 August 2021		Dev code: 3pi03b	
Units: mm [mil]	Material: mixed		



 Pololu
 Robotics & Electronics
 © 2021 Pololu Corporation




- 1. OLED active area (1.3" diagonal).
- 2. To get the specified scale, select 100% in print settings.
- 3. Drill location tolerance: ± 0.1 [± 5].
- 4. Board edge tolerance: ± 0.3 [± 10].

https://www.pololu.com/product/4973	
Name: 3pi+ 32U4 OLED Control Board	Item number: 4973
Drawing date: 11 August 2021	Dev code: 3pi03b
Units: mm [mil]	Material: mixed





① User interface elements 1 (bottom view)
Scale 1:1




② User interface elements 2 (bottom view)
Scale 1:1


1. To get the specified scale, select 100% in print settings.
2. Drill location tolerance: ± 0.1 [± 5].
3. Board edge tolerance: ± 0.3 [± 10].

https://www.pololu.com/product/4973	
Name: 3pi+ 32U4 OLED Control Board	Item number: 4973
Drawing date: 11 August 2021	Dev code: 3pi03b
Units: mm [mil]	Material: mixed






① Connector callouts 1 (bottom view)
Scale 1:1



② Connector callouts 2 (bottom view)
Scale 1:1

1. Grid lines indicate 2.54mm [100 mil] spacing.
2. To get the specified scale, select 100% in print settings.
3. Drill location tolerance: ± 0.1 [± 5].
4. Board edge tolerance: ± 0.3 [± 10].

<https://www.pololu.com/product/4973>

Name: 3pi+ 32U4 OLED Control Board		Item number: 4973
Drawing date: 11 August 2021	Dev code: 3pi03b	 © 2021 Pololu Corporation
Units: mm [mil]	Material: mixed	